

## **Intravenous lidocaine test information**

### **Why am I having a lidocaine test?**

This test is carried out to see if this type of drug will reduce the amount of pain that you are suffering. If this test significantly reduces your pain then you may be prescribed this type of medication in a tablet.

**If you have little or no pain on your appointment date, please contact the Pain Clinic for advice (see below for details).**

### **What is a lidocaine test?**

Lidocaine is a local anaesthetic and can be used to treat an irregular heart rate. You will be given the drug slowly through a drip in the back of your hand. The test takes approximately 30 minutes and during this time you will be attached to a heart rate and blood pressure monitor. The nurse will ask you to measure your pain on a scale (see below) by moving the marker to a point on the scale which best describes the intensity of your pain.

0 = No pain \_\_\_\_\_ 10 = Worst pain you  
can imagine

### **How will I feel afterwards?**

You may experience the following symptoms during and after the test; drowsiness, a tingling sensation around your mouth, a change in your hearing. These side effects are usually short lived. Please tell the nurse or doctor if you experience any these symptoms.

You should be able to return to your normal activity the following day, although you should not drive or drink alcohol for 24 hours following the test.

### **Are there any risks involved in a lidocaine test?**

There is an element of risk involved in all the procedures and treatments that you may have at the pain clinic. However you should remember that these risks are usually minimal. Your doctor will discuss these fully before your procedure and will be happy to answer all your questions.

### **Who should I contact if I have any problems following treatment?**

You can contact the Pain Clinic on between 9-2pm, Monday to Friday. Outwith these hours you should contact your own GP or NHS 24.

Before you leave we will give you a letter for your GP, which you should hand in to your surgery on a few days after your treatment. If you need help overnight or at the weekend then give this letter to the doctor so that he/she will know what treatment you have had.